

CARROT

VARIETIES PERFORMING WELL IN THE SHOULDER AND MID WINTER SLOT

CHARACTERISTICS	STAR 3006	MAESTRO	SOPRANO	TATIANA*	BRILLYANCE
Type	Nantes	Nantes	Nantes	Brazilian	Nantes
Advantages	Very versatile hybrid. Perform well in extreme sowing slots.	Very good adaption to mechanical harvest. Perform well in extreme sowing slots	Good tolerance to bolting. Versatile (Long sowing slots)	Perform well in hot weather and early maturing. Vigorous germination	Late maturing. Resistance to summer bolting
Average Root Length (cm)	20 - 22	18 - 20	18 - 20	20 - 22	18 - 20
Optimal Sowing Time	15 Nov - 15 Feb	15 Nov - 15 Feb	15 Aug - 15 Feb	15 Nov - 15 Feb	15 Nov - 15 Feb
Days to Maturity	90 - 100	100 - 120	100 - 120	90 - 100	100 - 120
Disease Resistance	Ad/Eh/Ps/Pu/Pv/Xhc/Cc	Ad/Eh/Ps/Pu/Pv/Xhc/Pr	Ad/Eh/Ps/Pu/Pv	Ad/Eh/Ps/Pu/Pv	Ad/Eh/Ps/Pu/Pv/Cc

For availability in your country, please contact the sales representatives in your area.

*Not yet included on the South African Variety List

Ad - Alternaria leaf blight (*Alternaria dauci*)

Eh - Powdery mildew (*Erysiphe heraclei*)

Ps, Pu, Pv - Cavity spot (*Pythium sulcatum*, *P. ultimum*, *P. violae*)

Cc - Cercospora leaf blight (*Cercospora carotae*)

Xhc - Bacterial leaf blight (*Xanthomonas hortorum pv. carotae*)

Pr - Carrot fly (*Psila rosae*)

CARROT

VARIETIES PERFORMING WELL IN MID SUMMER SLOT

CHARACTERISTICS	*SPEEDO	*SUBITO	EXCELSO	ROMANCE	LAGUNA	ALLYANCE
Type	Nantes	Nantes	Nantes	Nantes	Nantes	
Advantages	High tolerance to premature bolting	High tolerance to premature bolting	Excellent marketable yield. Excellent performance in and out of winter	High netto yield	High netto yield. Early Variety	
Average Root Length (cm)	20 - 22	19 - 21	18 - 20	18 - 20	18 - 20	
Optimal Sowing Time	15 Feb - end of Aug	15 Feb - end of Oct	15 Feb - end of March, 15 Jul - end of Aug	15 Jan - end of March, 15 Jul - end of Aug	15 Feb -end of March, 15 Jul - end of Aug	
Days to Maturity	90 - 100	100 - 110	110 - 140	100 - 120	90 - 100	
Disease Resistance	Ad	Ad	Ps/Pu/Pv	Ad/Eh	Ad/Eh	

For availability in your country, please contact the sales representatives in your area.

*Not yet included on the South African Variety List

Ad - Alternaria leaf blight (*Alternaria dauci*)

Eh - Powdery mildew (*Erysiphe heraclei*)

Ps, Pu, Pv - Cavity spot (*Pythium sulcatum*, *P. ultimum*, *P. violae*)

Cc - Cercospora leaf blight (*Cercospora carotae*)

Xhc - Bacterial leaf blight (*Xanthomonas hortorum* pv. *carotae*)

Pr - Carrot fly (*Psila rosae*)