

CUCUMBER - LONG TUNNEL

CHARACTERISTICS	LAREDO	*TARAY	SQUISITO	BACCARA	*BELLO	*CU57
Slot / Adaption	Summer	Summer (Exceptional heat / long day)	Spring & Late Summer	Autumn to Spring & year round	Summer	Spring, Summer and Autumn
Fruit Length (cm)	33 - 36	33 - 38	32 - 38	32 - 35 & 34 - 40	33-38	33 - 38
Fruit Colour	Medium to dark green	Dark green	Dark green	Dark green	Dark green	Dark green
High Resistance	-	CVYV	CVYV	Scab (Ccu) / Blight (Cca)	-	Scab (Ccu) / Blight (Cca)
Intermediate Resistance	CVYV / PM (Px, Gc)	CYSDV / PM (Px, Gc)	CYSDV / PM (Px, Gc)	PM (Px, Gc)	IR: Ccu/ PM/ CVYV / CYSDV.	PM (Px)
Comments	High quality, cylindrical, slightly ribbed fruit with no neck.	High quality, cylindrical, slightly ribbed fruit with no neck.	Vigorous plant with thick stem. High quality, slightly ribbed fruit.	Vigorous plant with strong roots. High quality, large size, slightly ribbed fruit.	High quality, Cylindrical fruit with no neck. Reduced ribbing	Flexible variety, easy to grow. Adapted to NONHEATED greenhouse. High quality, large size, slightly ribbed fruit.

For availability in your country, please contact the sales representatives in your area.

*Not yet included on the South African Variety List

CVYV - Cucumber Vein Yellowing Virus
 CYSDV - Cucurbit Yellow Stunting Disorder Virus
 Px - Powdery Mildew (*Podosphaera xanthii*)
 Gc - Powdery Mildew (*Golovinomyces cichoracearum*)
 Ccu - *Cladosporium cucumerinum*
 Cca - *Corynespora cassiicola*

CUCUMBER - SHORT TUNNEL

CHARACTERISTICS	*VEOLLA
Slot / Adaption	Spring to Autumn
Fruit Length (cm)	18 - 20
Fruit Colour	Dark green, Glossy
High Resistance	PM (Px, Gc)
Intermediate Resistance	CMV / CVYV / CYSDV / ZYMV
Comments	Two to three fruit per node. High quality, very cylindrical, slightly ribbed fruit with no necks.

For availability in your country, please contact the sales representatives in your area.

*Not yet included on the South African Variety List

CVYV - Cucumber Vein Yellowing Virus
 CYSDV - Cucurbit Yellow Stunting Disorder Virus
 Px - Powdery Mildew (*Podosphaera xanthii*)
 Gc - Powdery Mildew (*Golovinomyces cichoracearum*)
 Ccu - *Cladosporium cucumerinum*
 Cca - *Corynespora cassiicola*

CUCUMBER - OPEN FIELD

CHARACTERISTICS	AJAX	CONIL	*MONDEGO
Slot / Adaption	Spring & Summer	Spring, Summer & Autumn	Spring & Summer
Fruit Length (cm)	8 - 11	14 - 15	18 - 24
Fruit Colour	Even, olive-green colour.	Medium to dark green	Medium to dark green
High Resistance	-	-	Scab (Ccu)
Intermediate Resistance	-	CMV / CVYV / PM	CMV / CVYV / PM
Comments	Pickling cucumber. Soft spines that rub off easily.	Early maturing. Fruit with spines.	Early maturing. Fruit with slight spines.

For availability in your country, please contact the sales representatives in your area.

*Not yet included on the South African Variety List

CVYV - Cucumber Vein Yellowing Virus
 CYSDV - Cucurbit Yellow Stunting Disorder Virus
 Px - Powdery Mildew (*Podosphaera xanthii*)
 Gc - Powdery Mildew (*Golovinomyces cichoracearum*)
 Ccu - *Cladosporium cucumerinum*
 Cca - *Corynespora cassiicola*