

CARROT SOPRANO

AN ELEGANT HYBRID VARIETY WITH SUPERIOR ROOT QUALITY AND YIELD

- Improved internal and external colour
- Very uniform, well rounded and smooth roots
- Good level of silvering tolerance
- Ideally suited to the pre-pack market
- Medium maturing



Type

F1 Nantes hybrid.

Maturity

100 - 110 days (summer), 110 - 140 days (winter).

Plant Characteristics

Leaf Characteristics: Dark green colour, medium to long length, upright growth habit with an ideal attachment for mechanical harvesting.

Root Characteristics: 17 - 20 cm root length, cylindrical with slightly tapered root shape. Deep orange colour with a small core, very smooth texture and excellent uniformity.

Variety Characteristics

Bolting: Excellent bolting resistance.

Growing Guidelines: Sowing: Ensure good seedbed preparation prior to sowing. Pre-pack carrots: 1.0 – 1.8 million seeds per hectare.

Features & Benefits

Superior root quality.

Market Segment: Fresh market and pre-pack markets.

In-situ Storability: Moderate to good storability.

Disease Resistance: HR: *Alternaria dauci* and Powdery Mildew
IR: Cavity spot

Disclaimer: This information is based on our observations and/or information from other sources. As crop performance depends on the interaction between the genetic potential of the seed, its physiological characteristics, and the environment, including management, we give no warranty express or implied, for the performance of crops relative to the information given nor do we accept any liability for any loss, direct or consequential, that may arise from whatsoever cause. Please read the Starke Ayres Standard Terms and Conditions of Sale before ordering seed.

Resistance: is the ability of a plant variety to restrict the growth and development of a specified pest or pathogen and/or the damage they cause when compared to susceptible plant varieties under similar environmental conditions and pest or pathogen pressure. Resistant varieties may exhibit some disease symptoms or damage under heavy pest or pathogen pressure (HR = High resistance, IR = Intermediate resistance).